

DIXIE

GRINDERS

INCORPORATED

MODEL 7-7 200MM MEAT GRINDER

7.87 inch (200mm) Diameter Plate
 7.25 inch (185mm) Diameter Feedscrew

Production Rates

Final-Grinding 100-250 Pounds Per Minute

Production rates depend on a variety of factors, including the type of product being ground, the product's temperature and particle size, the speed of the grinder, hole size of the plate, and the plate configuration.

Applications

Fresh, tempered, and frozen beef, pork, poultry, fish, bones, and other food products



Construction Materials and Features

PART	STANDARD	OPTIONAL
Gearbox Model	7.1E SEW Eurodrive	N/A
Gearbox Finish	Epoxy Paint, with Clear Coat	N/A
Hopper	4-Bolt Gearbox Flange, Stainless Steel	N/A
Head	13 Spiral Flutes, Stainless Steel	Tin Plated Steel
Ring	Non-Bridged, Stainless Steel	Tin Plated Steel
Feedscrew	Design Depends on Application, Stainless Steel	Tin Plated Steel
Knife Holder	3 Bladed, Stainless Steel	2 or 4 Bladed, Stainless Steel
Springs	Disc Springs	N/A
Plate	Premium Tool Steel Orifice Plate	N/A
Plate Configuration	Single Plate	Double Plate Assembly
Frame	Undermount, Stainless Steel	Sidemount, Stainless Steel
Hopper Guard	Standard Hopper Guard, Stainless Steel	Special Hopper Guards and Extensions
Plate Guard	Standard Plate Guard, Stainless Steel	Special Plate Guards and Transition Funnels
Drive System	5V Pulleys and Gates Belts	N/A
Drive Motor Type	Premium Efficient, TEFC, 1800 RPM, 230/460V, 60Hz	Other T Frame Motors
Drive Motor HP	40 Horsepower	25, 30, or 50, Horsepower
Bone Collector	N/A	BCA-2, Bone Collection - Rework Assembly
Controls	N/A	Various

Dixie Grinders Inc. is a proud member of the Food Processing Suppliers Association, the Southwestern Meat Association, the Southeastern Meat Association, the Alabama Poultry and Egg Association, the Marshall County Manufacturers Association, and the Lake Guntersville Chamber of Commerce. Dixie Grinders Inc. is an equal opportunity employer.

1324 RAILROAD AVE. GUNTERSVILLE, AL 35976 USA
1-800-745-0586 OR 256-582-0477
WWW.DIXIEGRINDERS.COM